



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

**CALIFORNIA**—*Los Angeles*.—Month of July, 1896. Estimated population, 100,000. Total deaths, 94, including phthisis pulmonalis, 21; enteric fever, 2; diphtheria, 2, and measles, 1.

*Oakland*.—Month of July, 1896. Estimated population, 60,000. Total deaths, 72, including 12 from phthisis pulmonalis.

*Sacramento*.—Month of July, 1896. Estimated population, 30,000. Total deaths, 42, including phthisis pulmonalis, 6; enteric fever, 2, and diphtheria, 1.

*San Francisco*.—Month of July, 1896. Estimated population, 330,000. Total deaths, 505, including phthisis pulmonalis, 72; diphtheria, 2; croup, 3, and whooping cough, 5.

**COLORADO**—*Denver*.—Month of July, 1896. Estimated population, 150,000. Total deaths, 146, including phthisis pulmonalis, 25; enteric fever, 6; diphtheria, 2; measles, 2, and whooping cough, 4.

**CONNECTICUT**.—Month of July, 1896. Reports to the State board of health from 164 towns having an aggregate population of 850,206, show a total of 1,611 deaths, including phthisis pulmonalis, 110; enteric fever, 23; diphtheria and croup, 51; measles, 31; and whooping cough, 7.

*Hartford*.—Month of July, 1896. Estimated population, 68,000. Total deaths, 138, including phthisis pulmonalis, 16; measles, 1; whooping cough, 1; enteric fever, 4, and diphtheria, 4.

**ILLINOIS**—*Chicago*.—Month of July, 1896. Estimated population, 1,750,000. Total deaths, 2,457, including phthisis pulmonalis, 184; enteric fever, 58; scarlet fever, 5; diphtheria and croup, 54; measles, 13, and whooping cough, 28.

**KENTUCKY**—*Louisville*.—Month of July, 1896. Estimated population, 211,100. Total deaths, 356, including phthisis pulmonalis, 39; enteric fever, 17; diphtheria, 1, and whooping cough, 1.

**MAINE**—*Portland*.—Four weeks ended August 8, 1896. Estimated population, 41,500. Total deaths, 78, including phthisis pulmonalis, 3, and diphtheria, 1.

**MARYLAND**—*Baltimore*.—Month of July, 1896. Estimated population, white, 431,054; colored, 75,344; total, 506,398. Deaths, white, 961; colored, 268; total, 1,229, including phthisis pulmonalis, 104; enteric fever, 19; scarlet fever, 3; diphtheria, 8; croup, 2; measles, 1, and whooping cough, 16.

*Cumberland*.—Month of July, 1896. Estimated population, 12,729. Total deaths, 24. No deaths from contagious diseases.

**MASSACHUSETTS**—*Brockton*.—Month of July, 1896. Estimated population, 33,165. Total deaths, 86, including 9 from phthisis pulmonalis.

*Fitchburg*.—Month of July, 1896. Estimated population, 26,409. Total deaths, 49, including 4 from phthisis pulmonalis.

*Malden*.—Month of July, 1896. Estimated population, 30,000. Total deaths, 52, including phthisis pulmonalis, 3, and diphtheria, 1.

MICHIGAN.—Week ended August 8, 1896. Reports to the State board of health, Lansing, from 52 observers indicate that cholera morbus, dysentery, and inflammation of bowels increased, and that influenza decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 216 places, enteric fever at 49, scarlet fever at 22, diphtheria at 19, and whooping cough at 15 places.

MISSOURI—*St. Louis*.—Month of July, 1896. Estimated population, 570,000. Total deaths, 952, including phthisis pulmonalis, 84; enteric fever, 13; diphtheria, 15; croup, 1, and whooping cough, 12.

NEW JERSEY—*Paterson*.—Month of July, 1896. Estimated population, 103,020. Total deaths, 250, including phthisis pulmonalis, 15; enteric fever, 2; scarlet fever, 1; diphtheria, 17; measles, 1, and whooping cough, 7.

PENNSYLVANIA—*Philadelphia*.—Year of 1895. Estimated population, 1,163,864. Total deaths, 23,776. Annual death rate per 1,000 of the estimated population, 20.44. The deaths included phthisis pulmonalis, 2,449; smallpox, 45; enteric fever, 469; measles, 84; scarlet fever, 79; diphtheria, 1,020; membranous croup, 329, and whooping cough, 151.

WASHINGTON—*Seattle*.—Month of June, 1896. Estimated population, 60,000. Total deaths, 29, including phthisis pulmonalis, 5, and diphtheria, 2.

Month of July, 1896. Total deaths, 27, including phthisis pulmonalis, 3, and measles, 1.

WISCONSIN—*Milwaukee*.—Estimated population, 255,000. Total deaths, 257, including phthisis pulmonalis, 21; enteric fever, 2; diphtheria, 5; measles, 1, and whooping cough, 1.

#### PUBLICATIONS RECEIVED.

Eighteenth Annual Report Illinois State Board of Health.

Tenth Annual Report of the State Board of Health of the State of Ohio.